




TWIN EAGLES, INC.

Defining the Art of Outdoor Cooking

Gas Infrared Heater


OUTDOOR - INDOOR



Gas Infrared Heater

**Wall Mountable
Wireless Remote Control**

- ▼ Two Heat Levels: Low Setting @ 25,000 BTU and High Setting @ 37,000 BTU
- ▼ Wireless remote control (No electrical wiring required)
- ▼ Spark ignition with 100% safety pilot
- ▼ 60" Long, exceptional heat coverage
- ▼ Decorative safety grill that provides shielding from wind. Wind proof up to 15 MPH.
- ▼ #304 Stainless steel welded construction
- ▼ Complete with mounting brackets, gas hose, and A/C adaptor.
- ▼ Natural Gas or LP (Conversion kit available)



TEGH60



TEGH48


TEGH60/TEGH48

60" and 48" Outdoor Gas Infrared Heaters

Our Radiant Gas Heaters are the ultimate heat source to extend your outdoor entertaining into late evening, providing comfortable heat year round. Our 48" or 60" Infrared heaters will keep your guests warm with exceptional heat coverage, while easily controlling the heat settings from a convenient wireless remote control.

- Two heat levels: Low setting at 25,000 BTU and high setting at 37,000 BTU
- Wireless remote control (No electrical wiring required)
- Spark ignition with 100% safety pilot
- Decorative safety grill that provides shielding from wind. Wind proof up to 15 MPH
- Complete with mounting brackets and gas hose

Components



Wall mounted wireless remote control (included)



Flexible gas hose approved for NG & LP (included)




A set of stainless steel mounting brackets (included)




120 VAC / 6 VDC Adapter (optional)

HEATING AREA COVERAGE

HEATER MOUNTED 8' - 9' HIGH IN WELL PROTECTED CONDITIONS



Dimensions:



Extend Your Outdoor Season

TWIN EAGLES

Electric Heaters



TEEH1512



TEEH2524



TEEH3524

Electric Radiant Heaters (Indoor/Outdoor)

MODEL #	LENGTH	WATTS	VOLTS	AMPS
TEEH1512	33"	1500	120	12.5
TEEH2524	39"	2500	240	10.4
TEEH3524	61"	3500	240	14.6

Our Electric Heaters are the perfect addition to your backyard, patio, or deck. Extend your outdoor entertaining by maintaining a warm, comfortable atmosphere for you and your guests well into a cool evening. The heaters are suitable for both indoor and outdoor use and can be installed at lower mounting heights (6-8 ft.), helping to maximize the heat where you need it the most.

- Energy Efficient — 90% of the input energy is converted directly to radiant heat.
- The parabolic reflector is made of a special corrosive resistant alloy, an important feature for humid climates or coastal areas.
- Swivel mounting brackets allow 6" of clearance behind the heater
- UL Approved

Incremental Control

Wall mountable incremental control for easily regulated heat settings. (included with heaters.)



HEATING AREA COVERAGE

